# Material Safety Data Sheet

Xenon



# Section 1. Chemical product and company identification

**Product name** : Xenon

**Supplier** Mahangas INC., on behalf of its subsidiaries

No.9 Navaie complex, Emam Khomeini St, Tehran ,Iran

0098 21 66738836-7 info@mahangas.com

: Synthetic/Analytical chemistry. **Product use** 

: Xe; UN 2036; UN 2591; Xenon atom; Xeneisol 133A; Xenomatic **Synonym** 

MSDS# 001050 Date of 7/8/2013.

**Preparation/Revision** 

Incaseofemergency : 1-866-734-3438

### Section 2. Hazards identification

**Physical state** Gas.

: WARNING! **Emergency overview** 

> CONTENTS UNDER PRESSURE. Do not puncture or incinerate container.

Contact with rapidly expanding gases can cause frostbite.

**Routes of entry** Inhalation

**Potentialacutehealtheffects** 

Eyes Contact with rapidly expanding gas may cause burns or frostbite. Contact with rapidly expanding gas may cause burns or frostbite. Skin

Acts as a simple asphyxiant. Inhalation

Ingestion Ingestion is not a normal route of exposure for gases

**Medical conditions** aggravated by over-

exposure

: Acute or chronic respiratory conditions may be aggravated by overexposure to this gas.

See toxicological information (Section 11)

# Section 3. Composition, Information on Ingredients

%Volume Name **CASnumber Exposurelimits** Xenon 7440-63-3 100

### Section 4. First aid measures

No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

**Eye contact** : Check for and remove any contact lenses. Immediately flush eyes with plenty of water

for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical

attention immediately.

Skin contact In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean

shoes thoroughly before reuse. Get medical attention immediately.

**Frostbite** : Try to warm up the frozen tissues and seek medical attention.

: Move exposed person to fresh air. If not breathing, if breathing is irregular or if Inhalation respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention

immediately.

Build 1.1 Page: 1/5

#### Xenon

Ingestion

: As this product is a gas, refer to the inhalation section.

### Section 5. Fire-fighting measures

Flammability of the product

: Non-flammable.

**Products of combustion** 

: No specific data.

Fire-fighting media and instructions

: Use an extinguishing agent suitable for the surrounding fire.

Apply water from a safe distance to cool container and protect surrounding area. If involved in fire, shut off flow immediately if it can be done without risk.

Contains gas under pressure. In a fire or if heated, a pressure increase will occur and the container may burst or explode.

Special protective equipment for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

**Personal precautions** 

: Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (section 8). Shut off gas supply if this can be done safely. Isolate area until gas has dispersed.

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Methods for cleaning up

Immediately contact emergency personnel. Stop leak if without risk. Note: see section 1 for emergency contact information and section 13 for waste disposal.

### Section 7. Handling and storage

**Handling** 

High pressure gas. Do not puncture or incinerate container. Use equipment rated for cylinder pressure. Close valve after each use and when empty. Protect cylinders from physical damage; do not drag, roll, slide, or drop. Use a suitable hand truck for cylinder movement.

Storage

: Cylinders should be stored upright, with valve protection cap in place, and firmly secured to prevent falling or being knocked over. Cylinder temperatures should not exceed 52 °C (125 °F).

# Section 8. Exposure controls/personal protection

**Engineering controls** 

: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### **Personal protection**

**Eyes Skin** 

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts.

Respiratory

- : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- : Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

The applicable standards are (US) 29 CFR 1910.134 and (Canada) Z94.4-93

**Hands** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Personal protection in case of a large spill

 Self-contained breathing apparatus (SCBA) should be used to avoid inhalation of the product.

**Productname** 

xenon

Build 1.1 Page: 2/5

Consult local authorities for acceptable exposure limits.

# Section 9. Physical and chemical properties

: 0.3416

Molecular weight Molecular : 131.29 g/mole

: Xe formula

**Boiling/condensation point** : -108.1°C (-162.6°F) **Melting/freezing point** : -111°C (-167.8°F) : 16.6°C (61.9°F) Critical temperature 4.56 (Air = 1)Vapor density Specific Volume (ft <sup>3</sup>/lb) 2.9274

# Section 10. Stability and reactivity

Stability and reactivity : The product is stable.

**Hazardous decomposition** 

Gas Density (lb/ft 3)

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

products **Hazardous polymerization** 

: Under normal conditions of storage and use, hazardous polymerization will not occur.

# Section 11. Toxicological information

**Toxicitydata** 

Other toxic effects on

humans

: No specific information is available in our database regarding the other toxic effects of this material to humans.

Specificeffects

Carcinogenic effects : No known significant effects or critical hazards. No known significant effects or critical hazards. **Mutagenic effects** Reproduction toxicity : No known significant effects or critical hazards.

# Section 12. Ecological information

#### **Aguatice cotoxicity**

Not available.

**Environmental fate** : Not available.

**Environmental hazards** No known significant effects or critical hazards.

: Not available. Toxicity to the environment

### Section 13. Disposal considerations

Product removed from the cylinder must be disposed of in accordance with appropriate Federal, State, local regulation.Return cylinders with residual product to Mahangas, Inc.Do not dispose of locally.

#### Section 14. Transport information Regulatory **UN** number **Proper shipping Class** Packing group Label **Additional** information name information **DOT Classification** UN2036 XENON. 2.2 Not applicable (gas). **Packaging** COMPRESSED instruction **Passenger** aircraft Quantity limitation: 50 kg Cargo aircraft Quantity limitation: 500 kg

Build 1.1 Page: 3/5

Xenon						
						Special provisions T75, TP5
TDG Classification	UN2036	XENON, COMPRESSED	2.2	Not applicable (gas).		Explosive Limitand Limited Quantity Index 0.125  Passenger Carrying RoadorRail Index 75  Special provisions 38
Mexico Classification	UN2036	XENON, COMPRESSED	2.2	Not applicable (gas).		-

"Refer to CFR 49 (or authority having jurisdiction) to determine the information required for shipment of the product."

# Section 15. Regulatory information

#### **UnitedStates**

**U.S. Federal regulations** 

: TSCA 8(a) IUR: Not determined

United States inventory (TSCA 8b): This material is listed or exempted.

SARA 302/304/311/312 extremely hazardous substances: No products were found. SARA 302/304 emergency planning and notification: No products were found.

SARA 302/304/311/312 hazardous chemicals: xenon

SARA 311/312 MSDS distribution - chemical inventory - hazard identification:

xenon: Sudden release of pressure

Clean Water Act (CWA) 311: No products were found.

Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

#### **State regulations**

Connecticut Carcinogen Reporting: This material is not listed.

Connecticut Hazardous Material Survey: This material is not listed.

Florida substances: This material is not listed.

Illinois Chemical Safety Act: This material is not listed.

Illinois Toxic Substances Disclosure to Employee Act: This material is not listed.

Louisiana Reporting: This material is not listed.

**Louisiana Spill**: This material is not listed.

**Massachusetts Spill**: This material is not listed.

Massachusetts Substances: This material is not listed.

Michigan Critical Material: This material is not listed.

**Minnesota Hazardous Substances**: This material is not listed. **New Jersey Hazardous Substances**: This material is listed.

New Jersey Spill: This material is not listed.

New Jersey Toxic Catastrophe Prevention Act: This material is not listed. New York Acutely Hazardous Substances: This material is not listed.

New York Toxic Chemical Release Reporting: This material is not listed.

Pennsylvania RTK Hazardous Substances: This material is not listed.

Rhode Island Hazardous Substances: This material is not listed.

Build 1.1 Page: 4/5

#### **Canada**

WHMIS (Canada) : Class A: Compressed gas.

CEPA Toxic substances: This material is not listed.

**Canadian ARET**: This material is not listed. **Canadian NPRI**: This material is not listed.

Alberta Designated Substances: This material is not listed. Ontario Designated Substances: This material is not listed. Quebec Designated Substances: This material is not listed.

### Section 16. Other information


**United States** 

Label requirements : CONTENTS UNDER PRESSURE.

Canada

Label requirements : Class A: Compressed gas.

Hazardous Material Information System (U.S.A.)



National Fire Protection Association (U.S.A.)



#### **Noticetoreader**

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Build 1.1 Page: 5/5